

DABIT-002  
Safety Data Sheet

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product Identifier**

Product Form: Mixtures  
Product Name: DABIT-002

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use of the substance/mixture: Laboratory chemical.

**1.3 Details of the supplier of the safety data sheet**

Field Forensics Inc. phone: 1-727-490-3609  
1601 3rd Street S  
Saint Petersburg, FL 33701

**1.4 Emergency telephone number**

Emergency number: 1-727-490-3609

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification:** This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity:	Category 3
Acute dermal toxicity:	Category 1
Acute Inhalation Toxicity – Dust and Mists	Category 3
Specific target organ toxicity – repeated exposure	Category 2
Skin corrosion/irritation:	Category 1
Serious eye damage/eye irritation:	Category 1
Specific organ toxicity – single exposure	Category 3
Target organs – Respiratory system.	

**2.2 Label Elements**

**Signal Word:** DANGER

**Hazard Statements:** Causes severe skin burns and eye damage  
May cause respiratory irritation  
Fatal in contact with skin  
Toxic if swallowed  
Toxic if inhaled  
May cause Damage to organs through prolonged or repeated exposure



## 2.3 Precautionary Statements

- Prevention:** Wear protective gloves/clothing/eye protection/face protection  
Use only outdoors or in a well-ventilated area  
Wash face, hands, and any exposed skin thoroughly after handling  
Do not eat, drink, or smoke when using this product  
Avoid breathing dust/fumes/gas/mist/vapors/spray  
Do not get in eyes, on skin, or on clothing
- Response:** Get Medical attention/advice if you feel unwell.  
Immediately call a POISON CENTER or doctor.
- Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
Call a POISON CENTER or doctor.
- Skin:** Immediately call a POISON CENTER or doctor  
Remove contaminated clothing and wash before reuse  
Wash skin with plenty of soap and water
- Eyes:** Rinse with water for several minutes.  
Remove contact lenses.
- Ingestion:** Immediately call POISON CENTER or doctor  
Rinse mouth with water, DO NOT induce vomiting
- Storage:** Store locked up  
Store in a well-ventilated place  
Keep container tightly closed
- Disposal:** Dispose of contents/container to an approved waste disposal plant
- Hazards not otherwise classified (HNOC):** Very toxic to aquatic life with long lasting effects.
- Other hazards:** Hygroscopic

## SECTION 3 Composition/Information on Ingredients

Component	CAS-No	Weight %
Trade Secret 1	n/a	1%
Trade Secret 2	n/a	99%

## SECTION 4 First-aid measures

- Eye Contact:** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Immediate medical attention is required.
- Skin Contact:** Wash off with plenty of water for at least 15 minutes.  
Immediate medical attention is required.
- Inhalation:** Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a respiratory medical device. Immediate medical attention is required.
- Ingestion:** Do not induce vomiting. Call a physician or POISON CONTROL CENTER immediately.
- Most Important Symptoms/Effects:** Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation or stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.
- Notes to Physician:** Treat symptomatically.

## SECTION 5 Fire-Fighting Measures

- Suitable Extinguishing Media:** Use alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable Extinguishing Media:** Do not use water.
- Flash point:** No Information available.

**Specific hazards arising from the chemical:**

Do not allow run-off from fire-fighting to enter drains or water courses. Corrosive material. Reacts violently with water. Reaction with water may generate much heat which will increase the concentration of fumes in the air. Contact with metals may evolve flammable hydrogen gas. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

**Hazardous Combustion Products:** Hydrogen Sulfur oxides

**Protective Equipment and Precautions for Firefighters:**

As in any, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gas and vapors.

**NFPA**

<b>Health</b>	<b>Flammability</b>	<b>Instability</b>	<b>Physical Hazards</b>
<b>4</b>	<b>1</b>	<b>2</b>	<b>W</b>

**SECTION 6 Accidental Release Measures**

**Personal Precautions:** Ensure adequate ventilation. Use personal protective equipment. Wear self-contained breathing apparatus and protective suit. Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Avoid dust formation.

**Environmental Precautions:** Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Avoid release into the environment. Collect spillage.

**Methods for Containment**

**And Clean-up:** Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

**SECTION 7 Handling and Storage**

**Handling:** Use only under a chemical fume hood. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Avoid dust formation. Do not breathe vapors/dust. Do not ingest.

**Storage:** Keep containers tightly closed in a dry, cool, and well-ventilated place. Keep locked-up. Corrosives area.

**SECTION 8 Exposure Controls/Personal Protection**

**Exposure Guidelines:**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Trade Secret 1	TWA: 0.2 mg/m <sup>3</sup>	(Vacated) TWA: 0.2 mg/m <sup>3</sup>	IDLH: 1 mg/m <sup>3</sup> TWA: 0.2 mg/m <sup>3</sup>
Trade Secret 2	TWA: 0.2 mg/m <sup>3</sup>	(Vacated) TWA: 0.1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Trade Secret 1	TWA: 0.2 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>
Trade Secret 2	TWA: 0.1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>

Legend

ACGIH – American Conference of Governmental Industrial Hygienists

OSHA – Occupational Safety and Health Administration

NIOSH IDLH – The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

**Engineering Measures:** Use only under chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

**Personal Protective Equipment**

**Eye/Face Protection:** Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN 166.

**Skin & Body Protection:** Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection:** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety practice.

**SECTION 9 Physical and Chemical Properties**

**Physical State:** liquid  
**Appearance:** mixture- colorless liquid  
**Odor:** Odorless  
**PH:** 1 1N aq.sol (Trade Secret 2)  
**Melting Point Range:** not determined  
**Boiling Range:** not determined  
**Vapor Pressure:** not determined  
**Relative Density:** 1.840 (Trade Secret 2)  
**Solubility:** not determined  
**Decomposition Temp:** not determined  
**Viscosity:** 21mPa.s @ 25 °C (Trade Secret 2)

**SECTION 10 Stability and Reactivity**

**Reactive Hazard:** Yes  
**Stability:** Hygroscopic, Water Reactive  
**Conditions to Avoid:** Incompatible products. Excess heat. Avoid dust formation. Exposure to moist air or water.  
**Incompatible Materials:** Strong oxidizing agents. Combustible material, bases, organic materials. Reducing agents. Powdered metals. Peroxides.  
**Hazardous Decomposition Products:** Hydrogen, Sulfur oxides.  
**Hazardous Reactions:** Contact with metals may evolve flammable hydrogen gas. Reacts violently with water.

**SECTION 11 Toxicological Information**

**Acute Toxicity**

**Product Information**

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Trade Secret 1	Not listed	4 mg/kg (Rabbit)	Not listed
Trade Secret 2	2140 mg/kg (Rat)	Not listed	510 mg/m <sup>3</sup> (Rat) 2 h

**Delayed and Immediate effects as well as chronic effects from short and long-term exposure:**

**Irritation:** Causes severe burns by all exposure routes

**Carcinogenicity:** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Trade Secret 1	n/a	Not listed	Not listed	Not listed	Not listed	Not listed
Trade Secret 2	n/a	Group 1	Not listed	A2	X	A2

IARC: (International Agency for Research on Cancer)

Group 1 – Carcinogenic to Humans

Group 2A – Probably carcinogenic to Humans

Group 2B – Possibly carcinogenic to Humans

A1 – Known Human Carcinogen

A2 – Suspected Human Carcinogen

A3 – Animal Carcinogen

**STOT – Single Exposure:** Respiratory system

**Symptoms/effects,**

**Both acute and delayed:**

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

**Other Adverse Effects:** See actual entry in RTECS for complete information.

**SECTION 12 Ecological Information**

**Ecotoxicity:** Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Trade Secret 1	-	500 mg/L LC50 96 h	-	EC50: 29 mg/L/24h

**Persistence & Degradability:** Soluble/miscible in water Persistence is unlikely based on information available.

**Bioaccumulation/Accumulation:** No Information available

**Mobility:** Will likely be mobile in the environment due to its water solubility.

**SECTION 13 Disposal Considerations**

**Waste Disposal Methods:** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

**SECTION 14 Transport Information**

**DOT**

**UN-No:** UN3283 (Selenious acid) UN1830 (sulfuric acid)

**Proper Shipping Name:** Chemical Kit

**Hazard Class:** 8

**Packing Group:** II

**TDG**

**UN-No:** UN3283 (Selenious acid) UN1830 (sulfuric acid)

**Proper Shipping Name:** Chemical Kit

**Hazard Class:** 8

**Packing Group:** II

**IATA**

**UN-No:** UN3283 (Selenious acid) UN1830 (sulfuric acid)

**Proper Shipping Name:** Chemical Kit

**Hazard Class:** 8  
**Packing Group:** II  
**IMDG/IMO**  
**UN-No:** UN3283 (Selenious acid) UN1830 (sulfuric acid)  
**Proper Shipping Name:** Chemical Kit  
**Hazard Class:** 8  
**Packing Group:** II

**SECTION 15 Regulatory Information**

**International Inventories**

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Trade Secret 1	X	X	-	231-974-7	-		X	X	X	X	X
Trade Secret 2	X	X	-	231-639-5	-		X	X	X	X	X

**Legend:**

- X – Listed
- E – Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N – Indicates a polymeric substance containing a no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P – Indicates a commenced PMN substance.
- R – Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S – Indicates a substance that is identified in a proposed or final Significant New Use Rule.
- T – Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU – Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B)).
- Y1 – Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 – Indicates an exempt polymer that is a polyester and is made from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

**U.S. Federal Regulations**

**TSCA 12(b)** Not applicable

**SARA 313**

Component	CAS-No	Weight %	SARA 313 – Threshold Values %
Trade Secret 1	n/a	>95	1.0
Trade Secret 2	n/a	>95	1.0

**SARA 311/312 Hazardous Categorization**

**Acute Health Hazard** Yes  
**Chronic Health Hazard** Yes ( Trade Secret 1 ) No ( Trade Secret 2 )  
**Fire Hazard** No  
**Sudden Release of Pressure Hazard** No  
**Reactive Hazard** Yes (Trade Secret 1) No ( Trade Secret 2 )

**Clean Water Act**

Component	CWA-Hazardous Substances	CWA- Reportable Quantities	CWA-Toxic Pollutants	CWA-Priority Pollutants
Trade Secret 1	-	-	X	-
Trade Secret 2	X	1000 lb	-	-

**Clean Air Act**

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Trade Secret 1	X		-

Sulfuric Acid – Not Applicable

**OSHA** Not Applicable

## CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Trade Secret 1	10lb	10 lb
Trade Secret 2	1000 lb	1000 lb

**California Proposition 65** This product (sulfuric acid) contains the following Proposition 65 chemicals:

Component	CAS-No	California Prop. 65	Prop 65 NSRL	Category
Trade Secret 2	n/a	Carcinogen	-	Carcinogen

## State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Trade Secret 1	X	X	X	X	X
Trade Secret 2	X	X	X	X	X

## U.S. Department of Transportation

**Reportable Quantity (RQ):** Y (sulfuric acid), N (Selenious acid)

**DOT Marine Pollutant:** N

**DOT Severe Marine Pollutant:** N

## U.S. Department of Homeland Security


This product does not contain any DHS chemicals.

## Other International Regulations

**Mexico – Grade** No Information available

**Canada** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulation (CPR) and the SDS contains all the information required by the CPR.

**WHMIS Hazard Class** D1A Very toxic materials  
E Corrosive material



## SECTION 16 Other Information

### Disclaimer:

The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material in any process. The information set forth herein is furnished free of charge and is based on technical data that Field Forensics, Inc. believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside of Field Forensics, Inc.'s control, Field Forensics, Inc. makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe upon, any patents.